

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

PRODUCT NUMBER: 311

IDENTITY: PHENOMENAL CG 20A Revision Date: 07/29/2008

**Section I**

Manufacturer's Name: THREE G INDUSTRIAL SUPPLY \* Telephone Numbers:

Address: P. O. BOX 3712 Emergency: 800/255-3924  
VICTORIA Information: 361/578-3200  
State: TX Zip Code: 77903

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 3 HEALTH: 1 PERSONAL PROTECT: A
---

**Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION** (All of the ingredients contained in this product are listed on the TSCA inventory.)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
ETHYL ALCOHOL	64-17-5	1000 PPM	1000 PPM	N/A	_____
O-PHENYL PHENOL *+	90-43-7	N/A	N/A		_____
PROPANE/N-BUTANE	68476-86-8	1000 PPM	600 PPM	N/A	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN \* SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

THIS PRODUCT CONTAINS CHEMICAL(S) MARKED WITH A + KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

---

**Section III: PHYSICAL/CHEMICAL CHARACTERISTICS**

Boiling Point:	165	Specific Gravity (water=1)	0.88
Vapor Pressure(mm Hg)	44	Melting Point:	N/A
Vapor Density(AIR=1)	1	Evaporation Rate:	>1
Solubility in Water:	100%	(Butyl Acetate=1)	
Appearance and Odor:	CLEAR AMBER SPRAY. COUNTRY GARDEN ODOR.		

---

**Section IV: FIRE AND EXPLOSION HAZARD DATA**

Flash Point(Method Used):68 F TOC Flammable Limits: LEL:N/A UEL: N/A  
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER  
Special Fire Fighting Procedures: SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING. **CONTAINS FLAMMABLE PROPELLANT.**

---

**Section V: REACTIVITY DATA**

PRODUCT NUMBER: 311

Stability: Unstable: Conditions to avoid:  
Stable: X TEMPERATURES ABOVE 120 F.

Incompatibility (Materials to Avoid): STRONG OXIDIZERS.

Hazardous Decomposition or Byproducts: NONE KNOWN

Hazardous Polymerization: May Occur: Will Not Occur: X  
Conditions to Avoid: N/A

## **Section VI: HEALTH HAZARD DATA**

---

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Health Hazards (Acute and Chronic):

- INHALATION: MAY IRRITATE MOUTH, NOSE AND THROAT LEADING TO SLEEP AND STUPOR.
- SKIN: CAUSES DRYING AND IRRITATION. EYES: SEVERE IRRITATION.
- INGESTION: HARMFUL OR FATAL DEPENDING ON AMOUNT CONSUMED.

Carcinogenicity: NTP: NO IARC Monographs: NO OSHA Reg: NO

Signs and Symptoms of Exposure: SEE HEALTH HAZARDS ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN.

Emergency and First Aid Procedures:

- INHALATION: REMOVE TO FRESH AIR.
- SKIN OR EYES: FLUSH WITH WATER FOR 15 MINUTES, SEE PHYSICIAN IF IRRITATION PERSISTS.
- INGESTION: INDUCE VOMITING, GIVE COPIOUS AMOUNT OF WATER AND CALL PHYSICIAN.

## **Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE**

---

Steps to be taken in Case Material is Released or Spilled:

- MOP OR WIPE UP SPILL.
- DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method:

- WRAP CONTAINER AND PLACE IN TRASH COLLECTION.
- DO NOT PUNCTURE OR INCINERATE CONTAINER.

Precautions to be taken in handling and storing:

- STORE IN A COOL, DRY AREA.
- KEEP AWAY FROM HEAT, FLAME OR SPARKS.

Other Precautions:

- EXPOSURE TO TEMPERATURES >120 F MAY CAUSE BURSTING.

### **Section VIII: CONTROL MEASURES**

---

Respiratory Protection: N/A

Ventilation: Local Exhaust: ADEQUATE

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves: ONLY IF REPEATED CONTACT W/SKIN OCCURS.

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.

Other Protective Clothing or Equipment: N/A

Work/Hygienic Practices:

WASH HANDS AFTER USE

☐